

WALLNET SERIES II



Product Information

Our WallNet Series II premium 19" wall mounted enclosures offers a very robust and secure enclosure in a compact package. Ideal for remote installations of routers, switches, UPS and patch panels.

Features

- Vendor neutral will accept any standard 19" mounted device.
- Outstanding load capacity of 135 kg.(300 lbs.) in open position using extension kit.
- Acrylic or high density perforated doors available.
- Stylish perforated pattern on sides provides necessary air circulation
- Integrated 19" mounting rails incorporated into adjustable inner frame for extra strength.
- Two cable entry slots on the top and bottom of the enclosure.
- Simple installation using template for locating mounting points on wall.
- Reversible door allows flexibility at installation site.

Extension Kits: (Optional component)

We have focused on installer convenience and safety with our extension kits. These kits with 140 mm depth provides both extra depth plus convenient access to the rear of the cabinet. Our unique table design provides exceptional load bearing capacity and gives the user an excellent work platform when the enclosure is opened. A safety stop arm prevents the enclosure from being extended beyond the support table.



Our Standard Configurations

- Color: Two tone white / blue low gloss textured powder coat finish.
- Depth main enclosure: 500 mm.
- Depth Extension Kits: 140 mm.
- Width: 600 mm external
- Heights: 9, 12 and 18U. Additional sizes available upon request.
- Packing: Assembled

Industry Standards and Materials

- Dimensions conform to EIA-310E and IEC-60297-1, -2.
- Premium grade hot and cold rolled steel.
- Designed and manufactured under ISO 9001:2008 and ISO 14001:2004.
- Five stage iron-phosphate pre-treatment with powder coat finish.
- Tested to 500 hours salt spray under ASTM-D610-01 and ASTM-B117.
- All materials RoHS compliant. 



